


VIG-DS757V-D2 1080P

IP Camera



- > 2M Pixels 1/2.8" CMOS Sensor with excellent image quality
- > Real time H.265+/H.264/MJPEG Multi-Mode compression (Dual Codec)
- > Resolution 1920*1080 @ 30fps
- > 30pcs IR LED, IR Distance 25M
- > Support ONVIF international standard, best compatibility and integration

SPECIFICATIONS

- System-** Flash : 16MB
RAM : 256MB
 - Sensor-** Full HD High Quality 1/2.8" CMOS Image Sensor
 - Lens-** Vari-focal 2.8~12mm
 - IR Cut-** Removable IR Cut filter
 - Lux-** 0 Lux(IR ON)
 - IR LED-** 30pcs IR LED
-

- Compression-** H.265+: 1920x1080 at 30fps
H.265+: 1280x720 at 30 fps
H.265+: 640x480 at 30fps
H.265+ 、 H.264 、 JPEG Multi-mode compression (Dual Codec)
Multi-mode compression streaming

- Video Adjustment-** Resolution 、 Quality and bit rate
Time 、 Date or custom text and it's position
Brightness, Contrast, Saturation and Sharpness
AGC 、 AWB 、 AES 、 BLC 、 WDR

- Network Interface-** 10 /100 Mbps RJ-45
- Protocol-** IPv4,TCP/IP, DHCP, HTTP, RTSP,SNTP,DNS
- Browser-** Microsoft Internet Explorer 6.0 or above
Safari, Chrome or Firefox

- Alarm & Event notification-** Motion Detection
E-mail notification or upload file to FTP
 - User-** Max. 8 users for live view simultaneously
User Authorization
 - OTA-** OTA for Firmware upgrade
 - I/O Port-** RJ-45, DC12V
-

Version updating is not going to inform, please check the on-going updating information

| SPECIFICATIONS

Power- DC12V or PoE IEEE802.3af Class 0 (optional)

Power Consumption- 3.6W(IR OFF) 、 18W(IR ON)

Weight- N.W. : 1050g

Dimension- W:Φ135mm H:110mm

Operating Environments- 0 ~ 45 °C

Version updating is not going to inform, please check the on-going updating information

Distributed BY

FUHO TECHNOLOGY CO., LTD.

Head Office: No. 30, Lane 726, Jinma Rd, Sec. 3, Chang Hua City, Taiwan 500. TEL:886-4-751-2881

www.vacron.com