

VIN-BS702-E6 5MP

IP Camera



(Optional)



- › Sony 5MP 1/2.8" COMS Image Sensor
- › Real-time H.265/H.264 Compression(dual codec)
- › Highest Resolution 2592*1944 @30 fps
- › Simultaneous Multiple Streams.
- › Support ONVIF international standard, best compatibility and integration

SPECIFICATIONS

System-	Flash : 256MB RAM : 512MB
Sensor-	SONY FullHD High Quality 1/2.8" CMOS Image Sensor
Lens-	Support C/CS Mount lens
IR Cut-	Removable IR Cut filter
Lux-	0.01 Lux

Compression-	H.265/H.264: 2592x1944 at 30 fps H.265/H.264: 2560x1440 at 60 fps H.265/H.264: 2048x1536 at 60 fps H.265/H.264: 1920x1080 at 60 fps H.265 、 H.264 Multi-mode compression (Dual Codec) Multi-mode compression streaming
---------------------	---

Video Adjustment-	Resolution 、 Quality and bit rate Time 、 Date or custom text and it's position Brightness, Contrast, Saturation and Sharpness AGC 、 AWB 、 AES 、 BLC 、 WDR
--------------------------	--

Network Interface-	10 /100 Mbps RJ-45
Protocol-	IPv4,TCP/IP, DHCP, HTTP, RTSP,SNTP,DNS
Browser-	Microsoft Internet Explorer 6.0 or above Safari, Chrome or Firefox

Alarm & Event notification-	Motion Detection E-mail notification or upload file to FTP
User-	Max. 8 users for live view simultaneously User Authorization
OTA-	OTA for Firmware upgrade

Version updating is not going to inform, please check the on-going updating information

| SPECIFICATIONS

I/O Port-	RJ-45 Ethernet port / Power input port DC 12V / Auto Iris / Audio input / output / Alarm output (2in 1out) / Reset button
Power-	DC12V or PoE IEEE802.3af Class 0 (optional)
Power Consumption-	3.6W
Weight-	N.W. : 345g
Dimension-	152 × 70 × 50 mm
Operating Environments-	0 ~ 45 °C

Version updating is not going to inform, please check the on-going updating information