



ONVIF

5 Megapixel IR Bullet

IP Camera



NEW 2017 SEP V2.0



IP Surveillance



VIG-UM730V

- 5 Mega Pixel 1/3.2" CMOS Image Sensor.
- Real-time H.264,H.265+,MJPEG Compression(Dual Codec).
- Resolution : 2560x1920.
- Simultaneous Multiple Streams.
- 12PCS IR LEDs.
- Supports ONVIF Standard to Simplify Integration and Enhance Interoperability.

VIG-UM730V⁵ Megapixel IR Bullet IP Camera



Dimension unit:mm



24 MIL 12 pcs IR LED

SPECIFICATIONS

System	Flash	16MB
	RAM	256MB
Image Sensor	5 Megapixel High Quality 1/3.2 CMOS Image Sensor	
Sensitivity	0 Lux (IR ON)	
IR LEDs	12 pcs	
IR Range	30 M	
Lens	Varifocal 2.8~12mm F1.4	
	Removable IR-cut filter for day & night function	
Video	H.264,H.265+: 2560x1920 @10fps	
	H.264,H.265+: 1920x1080 @30fps	
	H.264,H.265+: 1280x720 @30fps	
	H.264,H.265+: 640x480 @30fps	
	Compression: H.264,H.265+,MJPEG Streaming: Dual Codec (H.264 \ H.265+ \ JPEG) Selectable Support Simultaneous multiple streams	
Image Settings	Adjustable image size, quality, and bit rate	
	Time/Date stamp and text caption overlay.	
	BNC connector for video output, NTSC/PAL video output switch	
	Adjustable image size, quality, and bit rate	
	Time/Date stamp and text caption overlay.	
Networking	Interface	10/100 Mbps Ethernet, RJ-45
	Supported Protocol	IPv4,TCP/IP,DHCP,HTTP,RTSP,SNTP,DNS
	Supported Browser	Microsoft Internet Explorer 6.0 or above
Alarm and Event Management	Motion Detection	
Users	Event notification using SMTP or FTP	
	8 clients on-line monitoring at the same time	
Maintenance	Multi-level user access control with password protection	
	Supports online firmware upgrade	
I/O	RJ-45 Ethernet x 1,DC Jack x1	
IP Rating	IP66	
Power	DC12V	
Max. Power Consumption	3.6W(IR OFF),7W(IR ON)	
Weight	Netweight : 1235g	
Dimension	315.5 x 147x 116 mm	
Operating Environments	Temperature	0 ~ 45 °C
	Humidity	90%

★Product specifications are subject to change without notice; please contact us for the latest information.

■ DISTRIBUTED BY

