

VACRON

Version surveillance

We can achieve comprehensive security monitoring with smart image monitoring technology to solve security problems for customers.



www.vacron.com.tw



ISO 9001:2015
IATF 16949:2016

No. 30, Lane 726, Section 3, Jinma Rd, Changhua City,
Changhua County 500, Taiwan (R.O.C.)
Email : service_tw@vacron.com.tw

2024 FEB. V1.0

FUHO Technology CO.,LTD.


2024

AI Recognition System.....	2
IP Remote Access System	8
NVR	16
AHD Monitoring System	18
DVR	28

Upgrading AI recognition

Combines various AI recognition, such as humanoid recognition, facial recognition, and LPR. Detect and monitor objects within the area with accuracy.

Various united systems apply to places such as enterprises, communities, campuses, stores...etc.



License Plate Recognition

Keeping the vehicle information in check timely.

Access Control and Charging

Road Traffic Control

Technology Enforcement

Able to identify five license plate at the same time.

Maximum control license plate data of up to 10000.

With the built-in LPR, vehicles moving not over 100 km/h could be identified.



License Plate Recognition

	VIN-US730CTA-E4	VIN-US730CVTA-E4
Resolution	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	5-50mm
LEDs	12 PCS HI-P IR LED	12 PCS HI-P IR LED
IR Range	/	/
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	Electric / Automatic Zoom	Electric / Automatic Zoom
IP	IP66	IP66



License Plate Recognition

	VIN-US731CTA-E4	VIN-US731CVTA-E4
Resolution	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	5-50mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	/	/
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	Electric / Automatic Zoom	Electric / Automatic Zoom
IP	IP67	IP67



License Plate Recognition

	VIN-US763CTA-E4	VIN-US763CVTA-E4
Resolution	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	5-50mm
LEDs	6 PCS HI-P IR LED	6 PCS HI-P IR LED
IR Range	/	/
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	Electric / Automatic Zoom	Electric / Automatic Zoom
IP	IP66	IP66

Facial Recognition

Allow and Deny list management could be applied for access control and clock-in systems.

Meanwhile, swift recognition of 5 objects with the same picture.

Maximum saved facial data of up to **1000**.

Crowd Detection

Could be applied for human traffic control in shopping malls and security systems in certain places, such as factories, construction sites, and campuses.

It can recognize 5 sets of human at the same time.

Electronic fences with intelligence recognition to avoid mis-judgement.



Crowd Detection

	VIN-US730HTA-E4	VIN-US730HVTA-E4
Resolution	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	5-50mm
LEDs	24 PCS HI-P IR LED	24 PCS HI-P IR LED
IR Range	/	/
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	Electric / Automatic Zoom	Electric / Automatic Zoom
IP	IP66	IP66



Facial Recognition

VIN-US760FTA-E4

Resolution	1080P
Image Sensor	1/2.8" SONY CMOS
Lens	2.8-12mm
LEDs	12 PCS HI-P IR LED
IR Range	/
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	Electric / Automatic Zoom
IP	IP66



Facial Recognition

VIN-DS755FA-E4

Resolution	1080P
Image Sensor	1/2.8" SONY CMOS
Lens	3.6mm
LEDs	24 PCS HI-P IR LED
IR Range	/
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	/



Crowd Detection

VIN-UJ770HE-F7

Resolution	5MP
Image Sensor	1/2.5" CMOS
Lens	3.6mm
LEDs	8 PCS HI-P IR LED
IR Range	30m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	IP66



Crowd Detection

VIN-DJ752HE-F7

Resolution	5MP
Image Sensor	1/2.5" CMOS
Lens	3.6mm
LEDs	8 PCS HI-P IR LED
IR Range	30m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	/



Crowd Detection

VIN-DS755HA-E4

Resolution	1080P
Image Sensor	1/2.8" SONY CMOS
Lens	3.6mm
LEDs	24 PCS HI-P IR LED
IR Range	/
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	/

HD monitoring to keep
to whole vision in hand



VIN-DS783E-E6

Fisheye camera

360° panorama with no blind spot

5MP High resolution

- Best Video Quality
- Innovative application:
on moving transportation.
- Multiple built-in flattening algorithms.



	VIN-US730VT-E4	VIN-US730T-E4
Resolution	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	5-50mm	2.8-12mm
LEDs	12 PCS HI-P IR LED	12 PCS HI-P IR LED
IR Range	100m	100m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	Electric / Automatic Zoom	Electric / Automatic Zoom
IP	IP66	IP66

	VIG-US730VT-D2	VIG-US730T-D2
Resolution	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	2.8-12mm
LEDs	12 PCS HI-P IR LED	12 PCS HI-P IR LED
IR Range	100m	100m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	Electric / Automatic Zoom	Electric / Automatic Zoom
IP	IP66	IP66

IP Remote Access System

	VIN-US730VT-E6	VIN-US730T-E6	VIN-US730-E6
Resolution	5MP	5MP	5MP
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	5-50mm	2.8-12mm	3.6mm
LEDs	12 PCS HI-P IR LED	12 PCS HI-P IR LED	12 PCS HI-P IR LED
IR Range	100m	100m	100m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	/
MotoZoom	Electric / Automatic Zoom	Electric / Automatic Zoom	/
IP	IP66	IP66	IP66

	VIG-DS752-D2	VIG-DJ752E-Z7	VIG-DJ752E-Z5
Resolution	1080P	5MP	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.5" CMOS	1/3" CMOS
Lens	3.6mm	3.6mm	3.6mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	30m	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	/
MotoZoom	/	/	/
IP	/	/	/

	VIG-US730T-D6	VIG-US730V-D6	VIG-UJ730AV-Z5
Resolution	5MP	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS	1/3" CMOS
Lens	2.8-12mm	2.8-12mm	2.8-12mm
LEDs	12 PCS HI-P IR LED	12 PCS HI-P IR LED	12 PCS HI-P IR LED
IR Range	100m	100m	100m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	/
MotoZoom	Electric / Automatic Zoom	/	/
IP	IP66	IP66	IP66



	VIG-US731V-D6	VIN-US731-E6	VIN-US731V-E6
Resolution	5MP	5MP	5MP
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	3.6mm	2.8-12mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	30m	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	/
MotoZoom	/	/	/
IP	IP67	IP67	IP67

	VIN-US731V-E8	VIN-US731VT-E4
Resolution	8MP	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	3.6-11mm	5-50mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	/	Electric / Automatic Zoom
IP	IP67	IP67



	VIG-UJ736A-Z5
Resolution	1080P
Image Sensor	1/3" CMOS
Lens	3.6mm
LEDs	8 PCS HI-P IR LED
IR Range	30m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	/



	WiFi IP CAM VIG-UJ736AW-Z5
Resolution	2MP
Image Sensor	1/3" CMOS
Lens	3.6 mm
LEDs	8 PCS HI-P IR LED
IR Range	35m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	IP66

IP Remote Access System



	VIG-US760T	VIG-US760-D4	VIG-US760T-D2
Resolution	1080P	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	4.0 mm	2.8-12mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	30m	30m	30m
Illumination	0 Lux (IR ON)	0.01 Lux (IR OFF)	0 Lux (IR ON)
Night Color	/	Starlight, Color Night vision	/
MotoZoom	Electric / Automatic Zoom	/	Electric / Automatic Zoom
IP	IP66	IP66	IP66

	VIG-US760T-D6	VIG-US760VT-D6	VIG-US760VT-D2
Resolution	5MP	5MP	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	5-50mm	5-50mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	30m	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	/
MotoZoom	Electric / Automatic Zoom	Electric / Automatic Zoom	Electric / Automatic Zoom
IP	IP66	IP66	IP66



	VIG-US760-D6
Resolution	5MP
Image Sensor	1/2.8" SONY CMOS
Lens	3.6mm
LEDs	8 PCS HI-P IR LED
IR Range	/
Illumination	0.01 Lux (IR OFF)
Night Color	/
MotoZoom	/
IP	IP66



	VIG-US734-D4
Resolution	1080P
Image Sensor	1/2.8" SONY CMOS
Lens	4.0mm
LEDs	8 PCS HI-P IR LED
IR Range	/
Illumination	0.01 Lux (IR OFF)
Night Color	Starlight, Color Night vision
MotoZoom	/
IP	IP66



	VIN-DS755-E6	VIN-DS755V-E2
Resolution	5MP	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	3.6 mm	2.8-12mm
LEDs	24 PCS IR LED	24 PCS IR LED
IR Range	15m	15m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	/	/
IP	/	/



	VIG-DS755V-D6	VIG-DJ755AV-Z5	VIG-DS755V-D2
Resolution	5MP	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/3" CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	2.8-12mm	2.8-12mm
LEDs	24 PCS IR LED	24 PCS IR LED	24 PCS IR LED
IR Range	15m	15m	15m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color		/	
MotoZoom		/	
IP		/	



	VIG-DJ782-Z7	VIG-DJ782A-Z5	VIG-DS782-D2
Resolution	5MP	1080P	1080P
Image Sensor	1/2.5" CMOS	1/3" CMOS	1/2.8" SONY CMOS
Lens	3.6mm	3.6mm	3.6mm
LEDs	12 PCS IR LED	12 PCS IR LED	12 PCS IR LED
IR Range	15m	15m	15m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	/
MotoZoom	/	/	/
IP	/	/	/

IP Remote Access System



	VIG-DS757V-D6	VIG-DS757V-D2
Resolution	5MP	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	
LEDs	30 PCS IR LED	
IR Range	25m	
Illumination	0 Lux (IR ON)	
Night Color	/	
MotoZoom	/	
IP	/	



	VIG-UJ768-Z7	VIG-UJ768-Z5
Resolution	5MP	5MP
Image Sensor	1/2.5" CMOS	1/2.5" CMOS
Lens	3.6mm	
LEDs	8 PCS HI-P IR LED	
IR Range	30m	
Illumination	0 Lux (IR ON)	
Night Color	/	
MotoZoom	/	
IP	IP66	



	VIG-UJ731AV-Z5	VIG-US731T-D2
Resolution	1080P	1080P
Image Sensor	1/3" CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	2.8-12mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	/	Electric / Automatic Zoom
IP	IP67	IP67



160° wide angle

	VIG-DS758-D2	VIG-DS758-D6
Resolution	1080P	5MP
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.0mm	2.0mm
LEDs	3 PCS HI-P IR LED	3 PCS HI-P IR LED
IR Range	15m	15m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	/	/
IP	IP66	IP66



	VIG-US756T-D2
Resolution	1080P
Image Sensor	1/2.8" SONY CMOS
Lens	2.8-12mm
LEDs	8 PCS HI-P IR LED
IR Range	30m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	Electric / Automatic Zoom
IP	/



	VIG-DJ726A-Z5
Resolution	1080P
Image Sensor	1/3" CMOS
Lens	3.6mm
LEDs	8 PCS HI-P IR LED
IR Range	25m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	/



	VIG-US729T-D6
Resolution	5MP
Image Sensor	1/2.8" SONY CMOS
Lens	2.8-12mm
LEDs	56 PCS IR LED
IR Range	40m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	Electric / Automatic Zoom
IP	IP66



	VIG-UJ739A-Z5
Resolution	1080P
Image Sensor	1/2.8" SONY CMOS
Lens	3.6mm
LEDs	36 PCS IR LED
IR Range	35m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	IP66



	VIG-UJ723A-Z5
Resolution	1080P
Image Sensor	1/3" CMOS
Lens	3.6mm
LEDs	8 PCS HI-P IR LED
IR Range	30m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	IP166



	VFI-330D5
Resolution	1080P
Image Sensor	1/2.8" SONY CMOS
Lens	Auto Focus 4.7-141mm
LEDs	12 PCS HI-P IR LED
IR Range	35m
Illumination	Color : 0.05Lux / B&W : 0.01Lux
Night Color	/
MotoZoom	/
IP	IP66



	VIN-BS702-E6
Resolution	1080P
Image Sensor	1/2.8" SONY CMOS
Lens	C/CS Mount
LEDs	/
IR Range	/
Illumination	0.01 Lux (IR OFF)
Night Color	/
MotoZoom	/
IP	IP66



	VIG-VJ220-Z5
Resolution	1080P
Image Sensor	1/3" SONY CMOS
Lens	2.8mm
LEDs	10 PCS IR LED
IR Range	10m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	/

**VDN-NK800D 16CH**

H.265

SATA HDDx4 (max.10TB)

1ch 5MP@15fps / 16ch VGA@30fps

430 x 370 x 120mm

4.2kg

**VDH-NK300B 16CH**

H.265

SATA HDDx2 (max.10TB)

1ch 5MP@30fps / 16ch VGA@30fps

430 x 314 x 53mm

2.7kg

VDH-NK200B 8CH

H.265

SATA HDDx2 (max.10TB)

1ch 5MP@15fps / 8ch VGA@30fps

430 x 314 x 53mm

2.7kg

**VIA-PC300 64CH**

H.264

3Tx4 HDD (max. 3.5x8)

1080P@60Fps

367 x 99 x 350mm

4.75kg

VIA-PC200 64CH

H.264

3Tx4 HDD (max. 3.5x9)

720P@30fps / 1080P@23fps

430 x 178 x 61mm

14kg

**Comprehensive Cloud Controller
(Dedicated to Garage Door)****FUM-T06-A 1CH**

1080@30fp

Compatible with various Garage Door Safety Sensor

Audio Recording and Intercom

DC12V

113.5 x 95 x 50mm

Comprehensive Cloud Controller**FUM-T06 1CH**

1080@30fp

4 set of relays switch

Audio Recording and Intercom

DC12V

113.5 x 95 x 50mm

VDH-NK982 64CH

H.265

SATA HDDx8 (max.10TB)

4ch 1080P@30fps / 64ch VGA@30fps

446 x 367 x 102 mm

6kg

VDH-NK900B 16CH

H.265

SATA HDDx4 (max.10TB)

1ch 5MP@30fps / 16ch VGA@30fps

430 x 370 x 96m

4kg

High Applicability

AHD Camera

Equipped with AI Crowd Detection

- Night Color
- 24 hrs none-stop automatic detection and proactive notification.
- High IP Rating, could applied for both in-doors and out-doors.



VCA-6537A2

Crowd Detection



	VCN-SH5902H-AF	VCN-SH5902H	VCN-S5902H
Resolution	1080P	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.6-12mm	5-50mm	5-50mm
LEDs	12 PCS HI-P IR LED	12 PCS HI-P IR LED	12 PCS HI-P IR LED
IR Range	100m	100m	100m
Illumination	0 Lux (IR ON)/0.01 Lux (IR OFF)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	•	/	/
MotoZoom	Electric / Automatic Zoom	/	/
IP	IP66	IP66	IP66

	VCF-5K02H	VCF-5M02H	VCF-5702H
Resolution	5MP	5MP	1080P
Image Sensor	1/2.5" CMOS	1/2.8" SONY CMOS	1/3" CMOS
Lens	3.6mm	2.8-12mm	2.8-12mm
LEDs	12 PCS HI-P IR LED	12 PCS HI-P IR LED	12 PCS HI-P IR LED
IR Range	100m	100m	100m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	/
MotoZoom	/	/	/
IP	IP66	IP66	IP66



	VCF-5G60U-A	VCF-5M60U	VCF-5760U
Resolution	5MP	5MP	1080P
Image Sensor	1/3" CMOS	1/2.8" SONY CMOS	1/3" CMOS
Lens	3.6mm	3.6mm	3.6mm
LEDs	4 PCS HI-P IR LED	4 PCS HI-P IR LED	4 PCS HI-P IR LED
IR Range	30m	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	/
MotoZoom	/	/	/
IP	IP66	IP66	IP66

	VCT-5760U-A	VCN-S5960U	VCN-SH5960U
Resolution	1080P	1080P	1080P
Image Sensor	1/3" CMOS	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	3.6mm	3.6mm	3.6mm
LEDs	4 PCS HI-P IR LED	4 PCS HI-P IR LED	4 PCS HI-P IR LED
IR Range	30m	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	•
MotoZoom	/	/	/
IP	IP66	IP66	IP66



	VCN-SH5975H-AF	VCN-S5975HV	FUM-S5975H
Resolution	1080P	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	2.8-12mm	4.0mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED	/
IR Range	30m	30m	/
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0.01 Lux (IR OFF)
Night Color	•	/	•
MotoZoom	Electric / Automatic Zoom	/	/
IP	IP66	IP66	IP66



	VCN-S5931HV	VCF-5M31HV
Resolution	1080P	5MP
Image Sensor	1/2.8" SONY CMOS	1/2.8" CMOS
Lens	2.8-12mm	2.8-12mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	/	•
IP	IP66	IP66



	VCF-5737H
Resolution	1080P
Image Sensor	1/3" CMOS
Lens	3.6mm
LEDs	8 PCS HI-P IR LED
IR Range	35m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	IP66

	VCF-5K31HV	VCF-5731HV	VCN-SH5931H-AF
Resolution	5MP	1080P	1080P
Image Sensor	1/2.5" CMOS	1/3" CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	2.8-12mm	2.6-12mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	30m	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON) / 0.01 Lux (IR OFF)
Night Color	/	/	•
MotoZoom	/	/	Electric / Automatic Zoom
IP	IP66	IP66	IP66

	VCN-S5937H	VCN-SH5937H	VCF-5K37H
Resolution	1080P	1080P	5MP
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS	1/2.5" CMOS
Lens	3.6mm	3.6mm	3.6mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	35m	35m	35m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	•	/
MotoZoom	/	/	/
IP	IP66	IP66	IP66



	HTC-5M72-W	HTC-5572-W
Resolution	5MP	1080P
Image Sensor	1/3" CMOS	1/2.9" CMOS
Lens	4mm	4mm
LEDs	18 PCS IR LED	18 PCS IR LED
IR Range	10m	10m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	/	/
IP	IP66	IP66



	VCF-5768H	VCF-5K68H
Resolution	1080P	5MP
Image Sensor	1/3" CMOS	1/2.5" CMOS
Lens	3.6mm	3.6mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	35m	35m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	/	/
IP	IP66	IP66



	VCF-5K60Q	VCF-5760Q
Resolution	5MP	1080P
Image Sensor	1/2.5" CMOS	1/3" CMOS
Lens	3.6mm	3.6mm
LEDs	36 PCS IR LED	36 PCS IR LED
IR Range	35m	35m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	/	/
IP	IP66	IP66



	VCF-5K57HD	VCF-5M57HD	VCN-S5957HD
Resolution	5MP	5MP	1080P
Image Sensor	1/2.5" CMOS	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	2.8-12mm	2.8-12mm
LEDs	30 PCS IR LED	30 PCS IR LED	30 PCS IR LED
IR Range	25m	25m	25m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	/
MotoZoom	/	/	/
IP	/	/	/



	VCF-5MLS42HD	VCN-S59LS42HD
Resolution	5MP	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	2.8-12mm	2.8-12mm
LEDs	5Ø 28 PCS IR LED ; 5Ø 12PCS White	5Ø 28 PCS IR LED ; 5Ø 12PCS White
IR Range	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	/	/
IP	IP66	IP66



	VCF-5M63H	VCF-5763H
Resolution	5MP	1080P
Image Sensor	1/2.8" CMOS	1/3" SONY CMOS
Lens	2.8-12mm	2.8-12mm
LEDs	6 PCS IR LED	6 PCS IR LED
IR Range	/	/
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	/	/
IP	IP66	IP66



	VCF-5G282HD-A	VCT-57282HD-A	VCF-5K282HD
Resolution	5MP	1080P	5MP
Image Sensor	1/3" CMOS	1/2.8" SONY CMOS	1/2.5" CMOS
Lens	3.6mm	3.6mm	3.6mm
LEDs	12 PCS IR LED	12 PCS IR LED	12 PCS IR LED
IR Range	15m	15m	15m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	/
MotoZoom	/	/	/
IP	IP66	IP66	IP66



	VCF-57282HD	VCN-SH59282HD	VCF-5M282HD
Resolution	1080P	1080P	5MP
Image Sensor	1/3" CMOS	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	3.6mm	4mm	3.6 mm
LEDs	12 PCS IR LED	12 PCS IR LED	12 PCS IR LED
IR Range	15m	15m	15m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	•	/
MotoZoom	/	/	/
IP	IP66	IP66	IP66



	VCF-5757HD
Resolution	1080P
Image Sensor	1/3" CMOS
Lens	2.8-12mm
LEDs	30 PCS IR LED
IR Range	25m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	/



	VCF-5716HD
Resolution	1080P
Image Sensor	1/3" CMOS
Lens	3.6mm
LEDs	8 PCS HI-P IR LED
IR Range	30m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	/



	VCF-5K16HDB	VCF-5M16HDB	VCN-S5916HDB
Resolution	5MP	5MP	1080P
Image Sensor	1/2.5" CMOS	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	3.6mm	3.6mm	3.6mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	30m	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	/
MotoZoom	/	/	/
IP	/	/	/



	VCF-5K26HD	VCF-5M26HD	VCN-S5926HDB
Resolution	5MP	5MP	1080P
Image Sensor	1/2.5" CMOS	1/2.8" SONY CMOS	1/2.8" SONY CMOS
Lens	3.6mm	3.6mm	3.6mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	30m	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/	/
MotoZoom	/	/	/
IP	IP66	IP66	IP66



	VCF-5M75HV	VCN-SH5975HV	VCF-5775HV
Resolution	5MP	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS	1/3" CMOS
Lens	2.8-12mm	2.8-12mm	2.8-12mm
LEDs	8 PCS HI-P IR LED	8 PCS HI-P IR LED	8 PCS HI-P IR LED
IR Range	30m	30m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	•	/
MotoZoom	/	/	/
IP	IP66	IP66	IP66



	VCN-SH5960H	FUM-S5960H	VCF-5760H
Resolution	1080P	1080P	1080P
Image Sensor	1/2.8" SONY CMOS	1/2.8" SONY CMOS	1/3" CMOS
Lens	3.6mm	4.0mm	3.6mm
LEDs	36 PCS IR LED	/	36 PCS IR LED
IR Range	35m	35m	35m
Illumination	0 Lux (IR ON)	0.01 Lux (IR OFF)	0 Lux (IR ON)
Night Color	/	•	/
MotoZoom	/	/	/
IP	IP66	IP66	IP66



	VCF-5726HD5	VCF-5726HDB
Resolution	1080P	1080P
Image Sensor	1/3" CMOS	1/3" CMOS
Lens	2.8mm / 3.6mm	3.6mm
LEDs	12 PCS IR LED	8 PCS IR LED
IR Range	3-5m	30m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	/	/
IP	IP68	IP66



	VCF-5M60H
Resolution	5MP
Image Sensor	1/2.8" SONY CMOS
Lens	3.6mm
LEDs	36 PCS IR LED
IR Range	35m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	IP66



	VCN-SH5938H-AF
Resolution	1080P
Image Sensor	1/2.8" SONY CMOS
Lens	2.8-12mm
LEDs	56 PCS IR LED
IR Range	40m
Illumination	0 Lux (IR ON) / 0.01 Lux (IR OFF)
Night Color	•
MotoZoom	Electric / Automatic Zoom
IP	IP66



	VCN-S5926HD5
Resolution	1080P
Image Sensor	1/2.8" SONY CMOS
Lens	2.8mm / 3.6mm
LEDs	12 PCS IR LED
IR Range	3-5m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	IP68



	VCT-5712HD-A
Resolution	1080P
Image Sensor	1/3" CMOS
Lens	3.6mm
LEDs	3 PCS IR LED
IR Range	15m
Illumination	0 Lux (IR ON)
Night Color	/
MotoZoom	/
IP	/



	HTC-5M72	HTC-5572
Resolution	5MP	1080P
Image Sensor	1/3" CMOS	1/2.9" CMOS
Lens	4mm	4mm
LEDs	18 PCS IR LED	18 PCS IR LED
IR Range	15m	15m
Illumination	0 Lux (IR ON)	0 Lux (IR ON)
Night Color	/	/
MotoZoom	/	/
IP	IP66	IP66




	VCN-S5982H
Resolution	1080P
Image Sensor	1/2.8" SONY CMOS
Lens	/
LEDs	/
IR Range	/
Illumination	0.01 Lux (IR OFF)
Night Color	/
MotoZoom	/
IP	IP66



	Thermographic FUM-TC810
Resolution	720P
Image Sensor	Thermopile far-infrared sensor
Lens	/
LEDs	/
IR Range	/
Illumination	/
Night Color	/
MotoZoom	/
IP	/

UI operation interface for DK series

Shortcuts and the operation interface
in distinguished by colours



All-New promotion

Shortcuts is assorted by functions and
marked with colours.

Upgraded image quality

User-friendly designs

Consistent launch of promotions

More efficient way for channel selecting

Highlighting colours to mark the
operating input field and chosen letters.


VDF-DKF316 16CH

H.265
SATA HDDx2 (max.10TB)
Resolution: 5MP/1080P
430 x 314 x 53mm
2kg


VDN-DKE616D 16CH

H.265
SATA HDDx4 (max.10TB)
Resolution: 5MP/1080P
430 x 370 x 96mm
4.8kg


F8 8CH

H.265
SATA HDDx1 (max.10TB)
Resolution: 5MP/1080P
197 x 197 x 43mm
0.45kg


F4 4CH

H.265
SATA HDDx1 (max.10TB)
Resolution: 5MP/1080P
197 x 197 x 43mm
0.45kg


VDN-DKF616D 16CH

H.265
SATA HDDx2 (max.10TB)
Resolution: 5MP/1080P
430 x 314 x 53mm
3kg


VDN-DKC616D 16CH

H.265
SATA HDDx4 (max.10TB)
Resolution: 5MP/1080P
430 x 370 x 120mm
4.2kg


VDF-DKZ604C 4CH

H.265
SATA HDDx1 (max.10TB)
Resolution: 5MP/1080P
260 x 215 x 42 mm
0.8kg


VDN-DKZ604D 4CH

H.265
SATA HDDx1 (max.10TB)
Resolution: 5MP/1080P
255 x 216 x 42mm
0.5kg


VDN-DKZ608D 8CH

H.265
SATA HDDx1 (max.10TB)
Resolution: 5MP/1080P
255 x 216 x 42mm
0.5kg


VDN-DKN608D 8CH

H.265
SATA HDDx1 (max.10TB)
Resolution: 5MP/1080P
200 x 276 x 80mm
1kg


VDN-DKN604D 4CH

H.265
SATA HDDx1 (max.10TB)
Resolution: 5MP/1080P
200 x 276 x 80mm
1kg


VDN-DKS604ES 4CH

H.265
SATA HDD 2.5" x1 (Max.1TB)
Resolution: 5MP/1080P
216 x 97 x 43mm
0.5kg