


FUM-T06 1080

Cloud Comprehensive Controller



(Front Facial)



(Rear Facial)

- › SD Card Recording & Cloud Server Recording
- › P2P Remote Access Support for Cyber Security
- › 2MP Full HD Security Camera Support Safety Double up
- › Turn on and off the Light from Smart Phone or PC in Visibility
- › x4 Relay Controller Applicable for Light, Lock and Electrical Appliance
- › USB Type A Built in for WiFi Dongle and USB Communications
- › RS485, RS232 and Alarm in are Available
- › Intercom Support


SPECIFICATIONS

Power Input-	DC 12V / 1A
Voltage Proof of the the Relay Contact Point-	7A@250VAC / 7A@30VDC
Remote Access-	Smart Phone App / IE Browser
Network Interface-	10/100 Mbps Ethernet / RJ45 Connector
Protocol-	IPv4,TCP/IP, DHCP, HTTP, FTP, SMTP, RTSP, SNTP,DNS
Browser-	Microsoft Internet Explorer 11



Video Configuration via IE-	DHCP Default Setting
Video Input-	Video : Brightness 、 Contrast 、 Saturation 、 Baud Rate Audio : ON/OFF & Volume Video Input AHD 1080P
Live View-	1080/30fps
Recording-	VGA/10fps
Audio-	x1 Audio Input / x1 Audio Output
Storage-	SD Memory Card (SDHC Card 16GB Class 10 above)
USB Connection-	x1 USB Type A / USB WiFi Dongle
Garage Door Control-	Up/Down/Stop
Crush Injury Protection-	x2 Alarm Input Support
LED Indicator-	Red - Record / Green - Power / Blue - Lan
Control I/O-	x1 RS485 & x1 RS232 x4 Relay Contact Points (x3 Always Open x1 Always Open & Always Close) x2 Alarm Input
Ambiant Temperature-	-10°C ~ 50°C
Measurements-	113.5 x 95 x 50mm

Version updating is not going to inform, please check the on-going updating information

Facial Explanation



Wiring



FUM-T06 Wiring Diagram

Version updating is not going to inform, please check the on-going updating information