

VDN-DKZ608D 5MP

8CH Audio-Visual Recording System



- › Multi-tasking capabilities, enabling simultaneous recording/playback, remote connectivity, video backup, and mobile monitoring with playback.
- › The maximum capacity of a single hard drive is 8TB
- › Support HD super high quality output
- › It supports remote IE browsing and can monitor live footage and playback simultaneously.
- › Provide HTTP, DHCP, DDNS, NTP, SMTP, FTP, DNS, UPNP, PPPoE, IP authority, IP search and other network services
- › Support iPhone, Android video monitoring and playback
- › Support CMS (Central Management System).
- › Various modes supported , both analog & digital IP signal can be connected to DVR as hybrid features.
- › With P2P function, scan QR-Code on the smartphone app to get instant monitoring and playback, and high information security.
- › Set IP-CAM mode on the main device, and plug to start monitoring by FUHO IP-CAM.
- › Support WiFi network
- › Support automatic update
- › Support AHD, TVI, CVI, CVBS, IP signal input

SPECIFICATIONS

video input-	8 sets of BNC
video output-	VGA (Max. 1920x1080) HD Digital (Max. 1920x1080) CVBS.
I/O Interface-	RJ-45*1, 10/100 Base-T USB2.0*2
Audio input-	1 channel input
Audio output-	1 channel output
Audio compression-	G.711U
<hr/>	
display resolution-	1080P
digital zoom-	have
sequence-	5 seconds Auto-Seq
Image Compression-	H.264/H.265
video monitoring-	VGA @30FPS/sec up to 8CH monitoring Up to 1 channel real-time video monitoring in 5MP@6 frame/second mode
recording mode-	Continuous, Scheduled, Displacement
motion detection-	Grid setting, you can set 192 (16*12) detection areas
video playback-	Video playback up to 1 channel 5MP@6 frames per second 1 channel 1080P@15 frame/second or 8 channel VGA@30 frame/second playback
display mode-	Single screen / 4 splits / 9 splits sequence
backup file format-	MP4/self-defined format.
media interface-	USB/Network
network playback-	have
Internet service-	HTTP, DHCP, DDNS, NTP, SMTP, FTP, DNS, UPNP, PPPoE, IP authority, IP search

Version updating is not going to inform, please check the on-going updating information

SPECIFICATIONS

Browser-	IE
Web side-	Live video, search/playback, backup, remote configuration/update
HDD interface-	SATA
Maximum support capacity-	Maximum 8TB per single drive.
Number of internal hard drives-	1 piece.
external storage-	Support USB storage device real-time synchronous recording
file system-	Stable and reliable self-developed file system
S.M.A.R.T-	Hard Disk Error Check
Operation menu-	Graphical interface; VGA & HD out & CVBS can be displayed simultaneously
input method-	Mouse

Daylight Saving Time DST-	Have
Multilingual-	English, Traditional Chinese, Simplified Chinese, Japanese
software update-	USB update, remote network update
Network proofreading NTP-	have
APP monitoring-	iPhone and Android support monitoring (including sound) and playback
CMS (Central Management System)-	support
Hybrid Function (Digital & Analog)-	support
Operating Environment-	Celsius 0 ~ 50 degrees, humidity 10 ~ 90%
Power Source-	DC 12V / 3A(AC100V~240V 50/60HZ)
Net weight-	About 0.5kg (excluding HDD and Power Adapter)
Dimension-	255mm x 216mm x 42mm (L x W x H)

Version updating is not going to inform, please check the on-going updating information