

# VIG-DJ726A-Z5 1080P IP66

## IP Camera



- > 2M Pixel 1/3" CMOS Sensor with excellent image quality
- > Real time H.265+/H.264/MJPEG Multi-Mode compression (Dual Codec)
- > Resolution 1920\*1080 @ 30fps/s
- > 8pcs IR LED, IR Distance 25M
- > Support ONVIF international standard, best compatibility and integration

## SPECIFICATIONS

---

- System-** Flash : 16MB  
RAM : 128MB
  - Sensor-** FullHD High Quality 1/3" CMOS Image Sensor
  - Lens-** Board Lens 3.6 mm
  - IR Cut-** Removable IR Cut filter
  - Lux-** 0 Lux(IR ON)
  - IR LED-** IR LED 8pcs
- 

- Compression-** H.265+: 1920x1080 at 30fps  
H.265+: 1280x720 at 30 fps  
H.265+: 640x480 at 30fps  
H.265+ 、 H.264 、 JPEG Multi-mode  
compression (Dual Codec)  
Multi-mode compression streaming

- Video Adjustment-** Resolution 、 Quality and bit rate  
Time 、 Date or custom text and it's position  
Brightness, Contrast, Saturation and Sharpness  
AGC 、 AWB 、 AES 、 BLC 、 WDR

- Network Interface-** 10 /100 Mbps RJ-45
- Protocol-** IPv4,TCP/IP, DHCP, HTTP, RTSP,SNTP,DNS
- Browser-** Microsoft Internet Explorer 6.0 or above  
Safari, Chrome or Firefox

- Alarm & Event notification-** Motion Detection  
E-mail notification or upload file to FTP

- User-** Max. 8 users for live view simultaneously  
User Authorization

- OTA-** OTA for Firmware upgrade

- I/O Port-** RJ-45, DC12V
- 

Version updating is not going to inform, please check the on-going updating information

## SPECIFICATIONS

---

<b>Power-</b>	DC12V
<b>Power Consumption-</b>	3.6W(IR OFF) 、7W(IR ON)
<b>IP Rating-</b>	IP66
<b>Weight-</b>	N.W. : 300g
<b>Dimension-</b>	Φ 93 x 81 mm
<b>Operating Environments-</b>	0 ~ 45 °C

---

Version updating is not going to inform, please check the on-going updating information

Distributed BY

FUHO TECHNOLOGY CO., LTD.