


# VIG-DJ755VA-Z5 1080P

## Dome IP CAM



- › 2M Pixels 1/3" CMOS Sensor with excellent image quality
- › Real time H.265+/H.264 /MJPEG Multi-Mode compression (Dual Codec)
- › Resolution 1920\*1080 @ 30fps
- › 24pcs IR LED, IR Distance 15M
- › Support ONVIF international standard, best compatibility and integration

## SPECIFICATIONS

---

<b>System-</b>	Flash : 16MB RAM : 256MB
<b>Sensor-</b>	Full HD High Quality 1/3" CMOS Image Sensor
<b>Lens-</b>	Vari-focal 2.8~12mm F1.8
<b>IR Cut-</b>	Removable IR Cut filter
<b>Lux-</b>	0 Lux(IR ON)
<b>IR LED-</b>	24pcs IR LED

---

<b>Compression-</b>	H.265+: 1920x1080 at 30fps H.265+: 1280x720 at 30 fps H.265+: 640x480 at 30fps H.265+ 、 H.264 、 JPEG Multi-mode compression (Dual Codec) Multi-mode compression streaming
---------------------	---

<b>Video Adjustment-</b>	Resolution 、 Quality and bit rate Time 、 Date or custom text and it's position Brightness, Contrast, Saturation and Sharpness AGC 、 AWB 、 AES 、 BLC 、 WDR
--------------------------	--

<b>Network Interface-</b>	10 /100 Mbps RJ-45
<b>Protocol-</b>	IPv4,TCP/IP, DHCP, HTTP, RTSP,SNTP,DNS
<b>Browser-</b>	Microsoft Internet Explorer 6.0 or above Safari, Chrome or Firefox

<b>Alarm &amp; Event notification-</b>	Motion Detection E-mail notification or upload file to FTP
<b>User-</b>	Max. 8 users for live view simultaneously User Authorization
<b>OTA-</b>	OTA for Firmware upgrade
<b>I/O Port-</b>	RJ-45, DC12V
<b>Power-</b>	DC12V or PoE IEEE802.3af Class 0 (optional)

---

Version updating is not going to inform, please check the on-going updating information


## SPECIFICATIONS

**Power Consumption-** 3.6W(IR OFF) 、18W(IR ON)

**Weight-** 965g

**Dimension-** W:Φ135mm H:110mm

**Operating Environments-** 0 ~ 45 °C



Unit:mm

Version updating is not going to inform, please check the on-going updating information

Distributed BY

Head Office: No. 30, Lane 726, Jinma Rd, Sec. 3, Chang Hua City, Taiwan 500. TEL:886-4-751-2881

FUHO TECHNOLOGY CO., LTD.

[www.vacron.com](http://www.vacron.com)