

VIG-UJ730AV-Z5 1080P / IP66

IP Camera



- > 2M Pixels 1/3" CMOS Sensor with excellent image quality
- > Real time H.265+/H.264 /MJPEG Multi-Mode compression (Dual Codec)
- > Resolution 1920*1080 @ 30fps
- > HI-P 12pcs IR LED, IR Distance 100M
- > Support ONVIF international standard, best compatibility and integration

SPECIFICATIONS

System-	Flash : 16MB RAM : 256MB
Sensor-	Full HD High Quality 1/3" CMOS Image Sensor
Lens-	Vari-focal 2.8~12mm F1.8
IR Cut-	Removable IR Cut filter
Lux-	0 Lux(IR ON)
IR LED-	HI-P 12pcs IR LED

Compression-	H.265+: 1920x1080 at 30fps H.265+: 1280x720 at 30 fps H.265+: 640x480 at 30fps H.265+ 、 H.264 、 JPEG Multi-mode compression (Dual Codec) Multi-mode compression streaming
---------------------	---

Video Adjustment-	Resolution 、 Quality and bit rate Time 、 Date or custom text and it's position Brightness, Contrast, Saturation and Sharpness AGC 、 AWB 、 AES 、 BLC 、 WDR
--------------------------	--

Network Interface-	10 /100 Mbps RJ-45
Protocol-	IPv4,TCP/IP, DHCP, HTTP, RTSP,SNTP,DNS
Browser-	Microsoft Internet Explorer 6.0 or above Safari, Chrome or Firefox

Alarm & Event notification-	Motion Detection E-mail notification or upload file to FTP
User-	Max. 8 users for live view simultaneously User Authorization
OTA-	OTA for Firmware upgrade
I/O Port-	RJ-45, DC12V
Power-	DC12V

Version updating is not going to inform, please check the on-going updating information

SPECIFICATIONS


Power Consumption- 3.6W(IR OFF) 、 18W(IR ON)

Weight- N.W. : 1235g

Dimension- 315.5 x 147x 116 mm

Operating Environments- 0 ~ 45 °C

IP Rating- IP66



Unit:mm

Version updating is not going to inform, please check the on-going updating information

Distributed BY

Head Office: No. 30, Lane 726, Jinma Rd, Sec. 3, Chang Hua City, Taiwan 500. TEL:886-4-751-2881

FUHO TECHNOLOGY CO., LTD.

www.vacron.com