


VIG-US731V-D6 5MP IP67

IP camera



- › SONY 5M Pixels 1/2.8" CMOS Sensor with excellent image quality
- › Real time H.265+/H.264 /MJPEG Multi-Mode compression (Dual Codec)
- › Resolution 2560*1920 @ 15fps/s
- › HI-P 8 LED, IR Distance 30M
- › Support ONVIF international standard, best compatibility and integration

SPECIFICATIONS

Ssystem- Flash : 16MB
RAM : 256MB

Image Sensor- Full HD High Quality 1/2.8" SONY CMOS Image Sensor

Lens- Vari-focal 2.8~12mm F1.8

IR-cut- Removable IR Cut filter

Low Lux- 0 Lux(IR ON)

IR LED- HI-P 8 LED

Compression- H.265+: 2560x1920 at 15fps
H.265+: 2048x1536 at 20 fps
H.265+: 1920x1080 at 30fps
H.265+ 、H.264 、JPEG Multi-mode compression (Dual Codec)
Multi-mode compression streaming

Image Settings- Resolution 、Quality and bit rate
Time 、Date or custom text and it's position
Brightness, Contrast, Saturation and Sharpness
AGC 、AWB 、AES 、BLC 、WDR

Electronic Shutter- 1/2 ~ 1/100,000 Sec

Network Interface- 10 /100 Mbps RJ-45

Protocol- IPv4,TCP/IP, DHCP, HTTP, RTSP,SNTP,DNS

Browser- Microsoft Internet Explorer 6.0 or above
Safari, Chrome or Firefox

Alarm & Event notification- Motion Detection
E-mail notification or upload file to FTP

User- Max. 8 users for live view simultaneously
User Authorization

OTA- OTA for Firmware upgrade

I/O Port- RJ-45, DC12V

Version updating is not going to inform, please check the on-going updating information

| SPECIFICATIONS

Power-	DC12V or PoE IEEE802.3af Class 0 (optional)
Power Consumption-	3.6W(IR OFF) 、18W(IR ON)
Weight-	N.W. : 965g
Dimension-	315x88x87 mm
Operating Environments-	0 ~ 45 °C
IP Rating-	IP67

Version updating is not going to inform, please check the on-going updating information