


VIG-US760VT-D6 5MP IP66

Electronic Auto AF motor lens IP camera



- › Sony 5MP 1/2.8\" COMS Image Sensor
- › Built in electronic auto AF Lens motor, user friendly for remote config
- › Real-time H.264,H.265+,Mjpeg Compression(dual codec)
- › Highest Resolution 2560x1920 @15 fps
- › HI-POWER LED 8PCS , 30M IR ranges
- › Support ONVIF international standard, best compatibility and integration

SPECIFICATIONS

- System-** Flash : 16MB
RAM : 256MB
- Sensor-** FullHD High Quality 1/2.8" SONY CMOS Image Sensor
- Lens-** Auto Varifocal 5-50mm f1.6
- IR Cut-** Removable IR-cut filter for day & night function
- Lux-** 0.01Lux
-

- Compression-** H.265+:2560x1920 at 15fps
H.265+: 2048x1536 at 20fps
H.265+: 1920x1080 at 30 fps
Compression: H.264, H.265+, MJPEG Streaming:
Dual Codec Selectable
Support Simultaneous multiple streams

- Video Adjustment-** Adjustable image size, quality, and bit rate
Time/Date stamp and text caption overlay
Configurable brightness, contrast, saturation, sharpness, white balance and exposure
Have: AGC 、 AWB 、 AES 、 BLC 、 WDR Features

- Network Interface-** 10 /100 Mbps ,RJ-45
- Protocol-** IPv4, TCP/IP, DHCP, HTTP, RTSP, SNTP, DNS
- Browser-** Microsoft Internet Explorer 6.0 or above
Safari, Chrome or Firefox

- Alarm & Event notification-** Motion Detection
FTP Event notification using SMTP or FTP
- User-** 8 clients on-line monitoring at the same time
Multi-level user access control with password protection
-

Version updating is not going to inform, please check the on-going updating information

SPECIFICATIONS

Maintenance- Supports online firmware upgrade

I/O- RJ-45 Ethernet x 1,DC12V

Power- DC12V or PoE IEEE802.3af Class 0 (optional)

Max. Power Consumption- 3.6W(IR OFF) 、 7W(IR ON)

Weight- N.W. : 650g

Dimension- 255mm x 75.3mm x 75mm

Operating Environments- 0 ~ 45 °C

IP Rating- IP66

Version updating is not going to inform, please check the on-going updating information

Distributed BY

FUHO TECHNOLOGY CO., LTD.

Head Office: No. 30, Lane 726, Jinma Rd, Sec. 3, Chang Hua City,Taiwan 500. TEL:886-4-751-2881

www.vacron.com