


# VIN-DJ752HE-F7 5MP

## AI IP Camera



- › 5M Pixels 1/2.5" CMOS Sensor with excellent image quality
- › AI intelligent humanoid detection function replaces traditional displacement detection system
- › Real time H.265+/H.264 Multi-Mode compression (Dual Codec)
- › Resolution 2560\*1920 @ 30fps/s
- › HI-P 8pcs IR LED, IR Distance 30M
- › Support ONVIF international standard, best compatibility and integration

## SPECIFICATIONS

---

- System-** Flash : 128MB  
RAM : 128MB
  - Sensor-** FullHD High Quality 1/2.5" CMOS Image Sensor
  - Lens-** Board Lens 3.6 mm
  - IR Cut-** Removable IR Cut filter
  - Lux-** 0 Lux(IR ON)
  - IR LED-** HI-P 8pcs IR LED
- 

- Compression-** H.265+: 2560x1920 at 30fps  
H.265+: 1920x1080 at 30fps  
H.265+ 、 H.264 Multi-mode  
compression (Dual Codec)  
Multi-mode compression streaming

- Video Adjustment-** Resolution 、 Quality and bit rate  
Time 、 Date or custom text and it's position  
Brightness, Contrast, Saturation and Sharpness  
AGC 、 AWB 、 AES 、 BLC 、 WDR

- Network Interface-** 10 /100 Mbps RJ-45
- Protocol-** IPv4,TCP/IP, DHCP, HTTP, RTSP,SNTP,DNS
- Browser-** Microsoft Internet Explorer 6.0 or above  
Safari, Chrome or Firefox

- Alarm & Event notification-** Motion Detection  
E-mail notification or upload file to FTP

- User-** Max. 8 users for live view simultaneously  
User Authorization

- OTA-** OTA for Firmware upgrade

---

Version updating is not going to inform, please check the on-going updating information

## SPECIFICATIONS

---

<b>I/O Port-</b>	RJ-45, DC12V
<b>Power-</b>	DC12V or PoE IEEE802.3af Class 0
<b>Power Consumption-</b>	3.6W(IR OFF) 、12W(IR ON)
<b>Weight-</b>	N.W. : 630g
<b>Dimension-</b>	W:Φ120mm H:85mm
<b>Operating Environments-</b>	0 ~ 45 °C

---

Version updating is not going to inform, please check the on-going updating information

Distributed BY

FUHO TECHNOLOGY CO., LTD.

Head Office: No. 30, Lane 726, Jinma Rd, Sec. 3, Chang Hua City, Taiwan 500. TEL:886-4-751-2881

[www.vacron.com](http://www.vacron.com)