
VIN-DJ797HE-F7 5MP

AI Humanoid Detection Webcam









- 5M Pixel 1/2.5" CMOS Sensor with excellent image quality.
- Low-Noise Surrounding Sound Receiver Function.
- AI intelligent humanoid detection function replaces traditional displacement detection system.
- Real time H.265/H.264 /MJPEG
- Multi-Mode compression. (Dual Codec) Resolution 2560x1920 @ 30fps/ss
- 4 IR LEDs, IR Range 30 m
- Support ONVIF international standard, best compatibility and integration.

SPECIFICATIONS

System-	Flash：128MB
	RAM：128MB
Image Sensor-	FullHD High Quality 1/2.5" CMOS Image Sensor
Lens-	Board Lens 3.6 mm
IR-cut-	Removable IR Cut filter
Low Lux-	0 Lux(IR ON)
IR LEDs-	4 Infrared LED Light

Image Quality-	H.265: 2560x1920 at 30 fps
	H.265: 1920x1080 at 30 fps
	H.265、H.264、JPEG Multi-mode compression (Dual Codec)
	Multi-mode compression streaming
Image Adjustment-	Resolution、Quality and bit rate
	Time、Date or custom text and it's position
	Brightness, Contrast, Saturation and Sharpness
	AGC、AWB、AES、BLC、WDR
Network Interface-	10 /100 Mbps RJ-45
Communication Protocol-	IPv4,TCP/IP, DHCP, HTTP, RTSP,SNTP,DNS
Browser-	Microsoft Internet Explorer 6.0 or above
	Safari, Chrome or Firefox
Alarm and Event Management-	Motion Detection
	E-mail notification or upload file to FTP
User-	Max. 8 users for live view simultaneously
	User Authorization
OTA-	OTA for Firmware upgrade

Version updating is not going to inform, please check the on-going updating information

SPECIFICATIONS

I/O Port-	RJ-45, DC12V
Power-	DC12V or PoE IEEE802.3af Class 0
Power Consumption-	3.6W(IR OFF) 、7W(IR ON)
Weight-	N.W.：270g
Dimension-	Φ 110 x 95 mm
Operating Environments-	-20 ~ 45 °C

Version updating is not going to inform, please check the on-going updating information