


VIN-DS755V-E2 1080P

IP camera



- > SONY 2M Pixels 1/2.8" CMOS Sensor with excellent image quality
- > Real time H.265/H.264 Multi-Mode compression (Dual Codec)
- > Resolution 1920*1080 @ 60fps/s
- > 24pcs IR LED, IR Distance 15M
- > Support ONVIF international standard, best compatibility and integration

SPECIFICATIONS

System- Flash : 256MB

RAM : 512MB

Sensor- Full HD High Quality 1/2.8" SONY CMOS Image Sensor

Lens- Vari-focal 2.8~12mm

IR Cut- Removable IR Cut filter

Lux- 0 Lux(IR ON)

Infrared Light- 24pcs IR LED

Compression- H.265/H2.64: 1920x1080 at 60 fps

H.265/H.264: 1280x720 at 60 fps

H.265/H.264: 640x480 at 60 fps

H.265 、 H.264 Multi-mode compression (Dual Codec)

Multi-mode compression streaming

Video Adjustment- Resolution 、 Quality and bit rate

Time 、 Date or custom text and it's position

Brightness, Contrast, Saturation and Sharpness

AGC 、 AWB 、 AES 、 BLC 、 WDR

Electronic Shutter- 1/2 ~ 1/100,000 Sec

Network Interface- 10 /100 Mbps RJ-45

Protocol- IPv4,TCP/IP, DHCP, HTTP, RTSP,SNTP,DNS

Browser- Microsoft Internet Explorer 6.0 or above

Safari, Chrome or Firefox

Alarm & Event notification- Motion Detection

E-mail notification or upload file to FTP

User- Max. 8 users for live view simultaneously

User Authorization

Version updating is not going to inform, please check the on-going updating information

SPECIFICATIONS

| | |
|--------------------------------|---|
| OTA- | OTA for Firmware upgrade |
| I/O Port- | RJ-45, DC12V |
| Power- | VIN-DS755V-E2:DC12V VIN-DS755VE-E2: DC12V or PoE IEEE802.3af Class 0 (optional) |
| Power Consumption- | 3.6W(IR OFF) 、10W(IR ON) |
| Weight- | N.W. : 1050g |
| Dimension- | W:Φ135mm H:110mm |
| Operating Environments- | 0 ~ 45 °C |

Version updating is not going to inform, please check the on-going updating information