

VIN-UJ770HE-F7 5MP IP66

Indoor IP Camera

























- > 5M Pixel 1/2.5" CMOS Sensor with excellent image quality.
- > Low-Noise Surrounding Sound Receiver Function.
- > Al intelligent humanoid detection function replaces traditional displacement detection system.
- > Real time H.265/H.264 /MJPEG Multi-Mode compression. (Dual Codec)
- > Resolution 2560*1920 @ 30fps/s
- > 4pcs IR LED, IR Distance 30M.
- > Support ONVIF international standard, best compatibility and integration.

VIN-UJ770HE-F7 Detailed Information

SPECIFICATIONS

system- Flash: 128MB

RAM : 128MB

Sensor- FullHD High Quality 1/2.5" CMOS Image Sensor

Lens- Board Lens 3.6 mm

IR Cut- Removable IR Cut filter

Lux- 0 Lux(IR ON)

IR LED- HI-P IR LED 4pcs

Compression- H.265: 2560x1920 at 30fps

H.265: 1920x1080 at 30fps

H.265 \ H.264 \ JPEG Multi-mode

compression (Dual Codec)

Multi-mode compression streaming

Video Adjustment- Resolution \ Quality and bit rate

Time > Date or custom text and it's position

Brightness, Contrast, Saturation and Sharpness

AGC \ AWB \ AES \ BLC \ WDR

Electronic Shutter- 1/2 ~ 1/100,000 Sec

Network Interface- 10 /100 Mbps RJ-45

Protocol- IPv4,TCP/IP, DHCP, HTTP, RTSP,SNTP,DNS

Browser- Microsoft Internet Explorer 6.0 or above

Safari, Chrome or Firefox

Alarm & Event notification - Motion Detection

E-mail notification or upload file to FTP

User- Max. 8 users for live view simultaneously

User Authorization

OTA- OTA for Firmware upgrade

Version updating is not going to inform, please check the on-going updating information



VIN-UJ770HE-F7 Detailed Information

SPECIFICATIONS

OTA- OTA for Firmware upgrade

I/O Port- RJ-45, DC12V

Power- DC12V or PoE IEEE802.3af Class 0

Power Consumption- 3.6W(IR OFF) > 7W(IR ON)

Weight- N.W.: 350g

Dimension- 190mm x 71mm x 59 mm

Operating Environments- 0 ~ 45 °C

IP Rating- IP66

Version updating is not going to inform, please check the on-going updating information

