
# VIN-US708TG-EA 2MP

## 4G IP Camera







- SONY 2M Pixels 1/2.8" CMOS Sensor with excellent image quality
- Real-time H.265+, H.264, MJPEG compression (Dual codec)
- Maximum resolution 1920x1080 at 60 fps
- 8 High Power IR LEDS, IR Range 30m
- Support the ONVIF international standard, best compatibility and integration

# SPECIFICATIONS

| | |
|---|---|
| **System-** | Flash：256MB |
| | RAM：512MB |
| **Image Sensor-** | SONY FullHD High Quality 1/2.8" CMOS Image Sensor |
| **Lens-** | Motorized / Automatic Zoom 2.8~12mm |
| **IR-cut-** | Built-in Magnetic Infrared Filter Switch |
| **Low Lux-** | 0 Lux (IR ON) |
| **IR LEDs-** | High Power IR LEDS X 8 |

| | |
|---|---|
| **Image Quality-** | H.265/H.264: 1920x1080 at 60 fps |
| | H.265/H.264: 1280x720 at 60 fps |
| | H.265/H.264: 640x480 at 60 fps |
| | H.265+、H.264、JPEG Multi-mode compression (Dual Codec) |
| | Support simultaneous multiple streams |
| **Image Adjustment-** | Adjustable image size, quality, and bit rate |
| | Time/Date stamp and text caption overlay |
| | Adjustable brightness, contrast, saturation, and sharpness |
| | Support AGC、AWB、AES、BLC、WDR Features |
| **Electronic Shutter-** | 1/2 ~ 1/100,000 Sec |
| **Network Interface-** | 10 /100 Mbps RJ-45、4G LTE Module |
| **Communication Protocol-** | IPv4、TCP/IP、DHCP、HTTP、RTSP、SNTP、DNS |
| **Browser-** | Microsoft Internet Explorer 6.0 or above |
| | Safari, Chrome or Firefox |
| **Alarm and Event Management-** | Motion Detection |
| | Notify via email or upload files to FTP |
| **Users-** | 8 clients online monitoring simultaneously |
| | Multi-level user access control with password protection |

Version updating is not going to inform, please check the on-going updating information

# SPECIFICATIONS

| | |
|---|---|
| **Maintenance-** | Supports FOTA |
| **I/O-** | RJ-45 network port, power input port DC12V |
| **Power-** | DC12V |
| **Max. Power Consumption-** | 3.6W(IR OFF), 10W(IR ON) |
| **Weight-** | Net weight: 670 g |
| **Dimensions-** | 262mm x 91mm x 83mm |
| **Operating Temperature-** | 0°C ~ 45°C |

Version updating is not going to inform, please check the on-going updating information